





**MARKING :**

- OMECA
- Month and two last figures of year of construction
- EU 29
- -40°C
- 15.6 bar
- 143 m<sup>3</sup>/min - 120%
- 29.5 (Hole diameter)
- 0.9 (Discharge coefficient)
- PROP-BUT
- CE□□□□ (see 2001101737)



N.B.: Mark with progressive number of valve

6	White cap	1	1001105013
5	Pin	1	1401100009
4	Spring retainer	1	0801100084
3	Painted spring	1	0701600114
2	Assembled piston	1	0309500337
1	Machined body	1	0101504180
POS	DENOMINATION	Q.	DRAW NR.

 cavagna group <b>omeca</b>		DESCRIPTION						Safety relief valve						
		GEN. TOLL. ±/		GEN. FILL. R /		ANG. TOLL. ±/		DRAFT /		SCALE 7:10		SHEET 1 / 1		
RESPONS.		DRAWN			ISSUE			MATERIAL						
DATE		25-04-94			25-05-95			-						
SIGNATURE		Bertoglio			Donini									
ACTIVITY	NUMBER	19208			PROJECT		-		DRAW NUMBER					
	SIGN.	Treccani			REFERENCE		-		7000900062					
	INDEX	A2			XXXXXX		XXXXXX							