

Markings:
- OMECA

- Simbolo Cavnagna Group 


- Two last figures of year and month (1...9 and 0,N,D for lat three months) of construction.

- GSE 35

- 25 bar

- -40°C

- C 6029 (Logo as per draw 2001100043)



N.B. Items pos. 14 - 15 are supplied separately and only on request.

| | | | |
|----|-------------------------|---|------------|
| 14 | Raccordo assemblato | 1 | 1609500039 |
| 13 | Manometer (EN 837) | 1 | 3001100180 |
| 12 | Assembled piston | 2 | 0309500145 |
| 11 | Screw | 2 | 1401101024 |
| 10 | Screw | 1 | 1401101022 |
| 9 | Handwheel blue RAL 5017 | 1 | 0201100202 |
| 8 | Assembled piston | 1 | 0309500288 |
| 7 | Spring | 1 | 0701100087 |
| 6 | Protection cap | 1 | 1009500062 |
| 5 | Assembled piston | 1 | 0309500126 |
| 4 | Assembled connection | 1 | 1609500019 |
| 3 | Assembled bush | 1 | 1009500047 |
| 2 | Gasket | 1 | 0401104019 |
| 1 | Body | 1 | 0101500781 |
| | POS DENOMINATION | 0 | DRAW NR. |


| DESCRIPTION | | Service valve | | | |
|--------------|--------------|---------------|----------|-----------|-------------|
| GEN. TOLL. ± | GEN. FILL. R | ANG. TOLL. ± | DRAFT | SCALE 1:1 | SHEET 1 / 2 |
| RESPONS. | DRAWN | MATERIAL | | | |
| DATE | 12-11-96 | ISSUE | 12-11-96 | | |
| SIGNATURE | Viotti | Donini | | | |
| NUMBER | 09089 | PROJECT | - | | |
| SIGN. | Treccani | REFERENCE | - | | |
| INDEX | A2 | XXXXX | XXXXX | XXXXX | XXXXX |
| ACTIVITY | | DRAW NUMBER | | | |
| | | 6704900794 | | | |



Excess flow TYPE 2
The closing flow values according to the applicable European standard, are indicated in the specific warning instruction for this product.


Additional data :
Closing vapor flow-rate 42-54 Kg/h propane at 2 bar and 40 Kg/h regulator connected.

This drawing cannot be reproduced nor given to a third party without a written authorization by CAVAGNA GROUP DIV. OMECA Sp.a (ITALY)



H = orizzontale
V = verticale

| | | | | |
|-----|-------------------------------|----------|-------------|------------|
| 15 | - | | 450 | 1201101673 |
| 15 | ∅ 1200/1650 V | 85 | 404 | 1201100544 |
| 15 | ∅ 1000/1000 V | 85 | 332 | 1201100551 |
| 15 | ∅ 800/500 V | 85 | 321 | 1201100537 |
| 15 | ∅ 1000/1000 V | 80 | 398 | 1201100545 |
| 15 | ∅ 800/500 V | 80 | 370 | 1201100539 |
| 15 | ∅ 1200/5000 H | 85 | 326 | 1201100542 |
| 15 | ∅ 1200/2500 H - ∅ 1200/2750 H | 85 | 340 | 1201100550 |
| 15 | ∅ 1000/1750 H | 85 | 287 | 1201100549 |
| 15 | ∅ 800/1000 H | 85 | 247 | 1201100548 |
| 15 | ∅ 1200/5000 H | 80 | 380 | 1201100538 |
| 15 | ∅ 1200/2500 H - ∅ 1200/2750 H | 80 | 392 | 1201100552 |
| 15 | ∅ 1000/1750 H | 80 | 332 | 1201100551 |
| 15 | ∅ 800/1000 H | 80 | 282 | 1201100553 |
| 15 | ∅ 1200/3000 | 80 | 379 | 1201100227 |
| POS | Serbatoio ∅ mm \Capacita' l | Vol. (%) | Lunghezza A | N. DISEGNO |

| | | | | | | | | | | | | |
|--|--------------|---------------|--------------|-----------|--------------|--|-------------------|--|-----------|--|------------|--|
| DESCRIPTION | | Service valve | | | | | | | | | | |
|  CAVAGNA group omeca | GEN. TOLL. ± | | GEN. FILL. R | | ANG. TOLL. ± | | DRAFT | | SCALE 1:1 | | SHEET 2 /2 | |
| | RESPONS. | | DRAWN | | ISSUE | | MATERIAL | | | | | |
| | DATE | | 12-11-96 | | 12-11-96 | | | | | | | |
| | SIGNATURE | | Viotti | | Donini | | | | | | | |
| ACTIVITY | NUMBER | 09089 | | PROJECT | - | | DRAW NUMBER | | | | | |
| | SIGN. | Treccani | | REFERENCE | - | | 6704900794 | | | | | |
| | INDEX | A2 | | XXXXXX | XXXXXX | | | | | | | |